

**ENERGY AND POWER DEPARTMENT  
GOVERNMENT OF SIKKIM**

**SCHEDULE OF RATES FOR SUPPLY ITEMS**

SL.No	PARTICULARS	MAKE	SIZES	UNIT	RATE 2008 Inclusive of Taxes and Duties	RATE 2017 Exclusive of Taxes and Duties
1	1 Way swtich (Penta delux)	Anchor	6Amps	Each	17	17
2	2 Way swtich (penta delux)	Anchor	6Amps	Each	21	21
3	1 Way swtich (penta silver series)	Anchor	20 Amps	Each	64	65
4	Bell push (penta delux)	Anchor	6 Amps	Each	21	21
5	2 pin socket (penta delux)	Anchor	6 Amps	Each	19	19
6	3 Pin socket (penta delux)	Anchor	6 Amps	Each	26	27
7	3 Pin socket (penta delux)	Anchor	20 Amps	Each	64	65
8	Bell push hanging	Anchor	6 Amps	Each	29	30
9	Bed swtich hanging	Anchor	6 Amps	Each	29	30
10	2 pin piug top	Anchor	6 Amps	Each	14	14
11	3 pin piug top	Anchor	6 Amps	Each	40	41
12	3 pin piug top	Anchor	16 Amps	Each	57	58
13	3 pin multiplug	Anchor	16 Amps	Each	103	105
14	3 pin multiplug	Anchor	6 Amps	Each	47	48
15	S/S combine with box	Anchor	6 Amps	Each	55	56
16	S/S combine with box	Anchor	20 amps	Each	138	141
17	S/S combine with box	Anchor	20 amps	Each	144	147
18	Ding-Dong Bell	Anchor		Each	97	99
19	Bell musical (ECHO STEREO DOOR CHIME)	Anchor		Each	178	182
20	Angle holder	Anchor		Each	22	22
21	Batten holder	Anchor		Each	22	22
22	Ceiling rose	Anchor		Each	20	20
23	Pandent holder(Skirt)	Anchor		Each	21	21
24	Xerox paper	Modi	A-4	pkt	209	214
25	Xerox paper	Modi	A-3	pkt	226	231
26	Alkathine pipe (best quality PVC)	Bardia	1/2,3/4,5/8"&1	kg	66	67
27	Aluminium thimble	Dowell's	070 sqmm	Each	14	14
28	Aluminium thimble	Dowell's	120 sqmm	Each	22	22
29	Aluminium thimble	Dowell's	185 sqmm	Each	34	35
30	Aluminium thimble	Dowell's	240 sqmm	Each	59	60
31	Aluminium thimble	Dowell's	400 sqmm	Each	121	124
32	Aluminium thimble	Dowell's	010 sqmm	Each	3	3
33	Aluminium thimble	Dowell's	016 sqmm	Each	5	5
34	Aluminium thimble	Dowell's	025 sqmm	Each	6	6
35	Aluminium thimble	Dowell's	035 sqmm	Each	6	6
36	Aluminium thimble	Dowell's	050 sqmm	Each	9	9
37	Aluminium thimble	Dowell's	095 sqmm	Each	15	15
38	Aluminium thimble	Dowell's	150 sqmm	Each	29	30
39	Aluminium thimble	Dowell's	225 sqmm	Each	50	51
40	Aluminium thimble	Dowell's	300 sqmm	Each	84	86
41	Aluminium thimble	Dowell's	625 sqmm	Each	232	237
42	Aluminium Saddle	Paras	3/4"	doz	6	6
43	Aluminium Saddle	Paras	1"	doz	8	8
44	Aluminium reflector		8"	E	39	40
45	Bakelite sheet		11"x13"	Each	79	81
46	Bakelite sheet		5"x5"	Each	13	13
47	Bakelite sheet		7"x5"	Each	19	19
48	Bakelite sheet		7"x9"	Each	34	35

49	Bakelite round sheet	Hylite	3"	Each	3	3
50	Bakelite round sheet	Hylite	6"	Each	17	17
51	Bitumin compound black			Tin	341	349
	<b>BULBS</b>					198
52	LED GLO 3W	HPL		New items		252
53	LED GLO 5W	HPL		New items		297
54	LED GLO 7W	HPL		New items		378
55	LED GLO 9W	HPL		New items		568
56	LED GLO 12W	HPL		New items		801
57	LED GLO 15W	HPL		New items		
58	LED Tubelight fitting	HPL	10w		750	767
59	LED Tubelight fitting	HPL	20w		1,000	1022
60	LED Light fitting ONYX plus	HPL	6w		710	726
61	LED Light fitting ONYX plus	HPL	12WATT		1,000	1022
62	LED Light fitting ONYX plus		15watt		1,125	1150
63	LED Light fitting ONYX plus		18watt		1,540	1574
64	LED Light fitting NEXUS		18Watt		2,000	2044
65	LED Striplite		36watt		350	358
66	Clear incandescent lamp	GE Co.	25W	Each	12	12
67	Clear incandescent lamp	GE Co.	40&60W	Each	13	13
68	Clear incandescent lamp	GE Co.	100W	Each	14	14
69	Clear incandescent lamp	GE Co.	200W	Each	22	22
70	Coated incandescent lamp	GE Co.	40&60W	Each	14	14
71	Night & decorative incandescent lamp (frosted)	GE Co.	15W	Each	13	13
72	Night & decorative incandescent lamp (Clear)	GE Co.	15W	Each	13	13
73	Bulp HPMV	GE Co.	80W/B22	Each	165	169
74	Bulp HPMV	GE Co.	80W/E27	Each	165	169
75	Bulp HPMV	GE Co.	125W/B22	Each	171	175
76	Bulp HPMV	GE Co.	125W/E27	Each	176	180
77	Bulp HPMV	GE Co.	250W/E40	Each	385	394
78	Bulp HPMV	GE Co.	400W/E40	Each	528	540
79	Metal Halide lamps	HPL	70W	Each	660	675
80	Metal Halide lamps	HPL	150W	Each	660	675
81	Metal Halide lamps	HPL	250W	Each	780	797
82	Metal Halide lamps	HPL	400W	Each	850	869
83	BULK HEAD FITTING(1X60W GLS)	Philips	60W	Each	583	596
84	Bullet thimble	Dowell's	010 sqmm	Each	6	6
85	Bullet thimble	Dowell's	016 sqmm	Each	11	11
86	Bullet thimble	Dowell's	025 sqmm	Each	15	15
87	Bullet thimble	Dowell's	035 sqmm	Each	15	15
88	Bullet thimble	Dowell's	050 sqmm	Each	31	32
89	Bullet thimble	Dowell's	070 sqmm	Each	42	43
90	Bullet thimble	Dowell's	095 sqmm	Each	59	60
91	Bus-bar 4 pole	Mex	032 amps	Each	122	125
92	Bus-bar 4 pole	Mex	063 amps	Each	1,626	1662
93	Bus-bar 4 pole	Mex	100 amps	Each	2,291	2342
94	Bus-bar 4 pole	Mex	200 amps	Each	3,252	3324
95	Bus-bar 4 pole	Mex	300 amps	Each	3,843	3928
96	Bus-bar 4 pole	Mex	400 amps	Each	5,026	5138
97	Bushing rod H.T.brass			Each	868	887
98	Bushing rod L.T.brass			Each	666	681
99	Battery	Eveready	9volt	Each	152	155
100	Brass nut & Bolts		1/2"x2"	Each	17	17
101	Ceiling globe best quality	Philips	10"	Each	659	674
102	Cooking hater plate 1500 W		9"	Each	36	37
103	Cooking hater Nicrom wire 1500 W			Each	40	41
104	Cable Junction box					0
105	a) 167x125x82mm(K 9100)	Hensel	10sqmm	Each	517	528
106	b) 200x160x98mm(K 9250)	Hensel	16/25 sqmm	Each	935	956

107	c)260x210x116mm(K 9350)	Hensel	16/35 sqmm	Each	1,573	1608
	<b>CFL RETROFIT RANGE</b>					0
	<b>(DWARF)</b>					
108	a) DU 5W E/B-14/22&27 warm white	Havell's	05 watts	Each	132	135
109	b)DU 5w E/B-14/22&27 Cool day light	Havell's	05 watts	Each	132	135
110	c)TU 8W E/B-14/22&27 warm white	Havell's	08 watts	Each	143	146
111	d)TU 8W E/B 14/22&27 Cool day light	Havell's	8 watts	Each	143	146
112	e)TU11W E/B 14/22&27 warm white	Havell's	11 watts	Each	159	163
113	f) TU11W E/B 14/22&27 cool day light	Havell's	11watts	Each	159	163
	<b>NORMAL</b>					0
114	a) DU 11W E/B-22&27 warm white	Havell's	11 watts	Each	143	146
115	b) DU 11W E/B-22&27 Cool day light	Havell's	11 watts	Each	143	146
116	c) DU 15W E/B-22&27 warm white	Havell's	15 watts	Each	154	157
117	d) DU 15W E/B 22&27 cool day light	Havell's	15 watts	Each	154	157
118	e) TU 15W E/B 22&27 warm white	Havell's	15 watts	Each	165	169
119	f) TU 15W E/B 22&27 cool day light	Havell's	15 watts	Each	165	169
120	g) TU 20W E/B 22&27 warm white	Havell's	20 watts	Each	198	202
121	h) TU 20W E/B 22&27 cool day light	Havell's	20 watts	Each	198	202
122	i) TU 23W E/B 22&27 warm white	Havell's	23 watts	Each	231	236
123	j) TU 23W E/B 22&27 cool day light	Havell's	23 watts	Each	231	236
124	k) TU 26W E/B 22&27 warm white	Havell's	26 watts	Each	264	270
125	l) TU 26W E/B 22&27 cool day light	Havell's	26 watts	Each	264	270
126	l) TU 35W E/B 22&27 cool day light/warm	HPL	35 watts	Each	320	
	<b>(MINI SPIRAL)</b>					0
127	a) SP 07W E/B 22&27 Warm white	Havell's	07 watts	Each	187	191
128	b) SP 07W E/B 22&27 cool day light	Havell's	07 watts	Each	187	191
129	c) SP 09W E/B 22&27 Warm white	Havell's	09 watts	Each	198	202
130	d) SP 09W E/B 22&27 cool day light	Havell's	09 watts	Each	198	202
131	e) SP 11W E/B 22&27 Warm white	Havell's	11 watts	Each	209	214
132	f) SP 11W E/B 22&27 cool day light	Havell's	11 watts	Each	209	214
133	g) SP 13W E/B 22&27 Warm white	Havell's	13 watts	Each	237	242
134	h) SP 13W E/B 22&27 cool day light	Havell's	13 watts	Each	237	242
135	35W/ELS/T4 cool day /WARM light	HPL	35 watts	Each	390	
	<b>(SPIRAL)</b>					0
136	a) SP 15W E/B 22&27 warm white	Havell's	15 watts	Each	259	265
137	b) SP 15W E/B 22&27 cool day light	Havell's	15 watts	Each	259	265
138	c) SP 20W E/B 22&27 warm white	Havell's	20 watts	Each	275	281
139	d) SP 20W E/B 22&27 cool day light	Havell's	20 watts	Each	275	281
140	e) SP 26W E/B 22&27 warm white	Havell's	26 watts	Each	314	321
141	f) SP 26W E/B 22&27 cool day light	Havell's	26 watts	Each	314	321
	<b>HIGHER WATTAGE REGULAR RETROFIT</b>					
142	45W/ELQ/T5	HPL	45WATT		560	
143	65W/ELQ/T6	HPL	65WATT		660	
144	85W/ELQ/T7	HPL	85WATT		730	
	<b>HIGHER WATTAGE SPIRAL RETROFIT</b>					
145	45W/ELQ/T5	HPL	45WATT		670	
146	65W/ELQ/T6	HPL	65WATT		730	
147	85W/ELQ/T7	HPL	85WATT		820	
	<b>NON-RETROFIT RANGE</b>					0
	<b>(PL-S)</b>					0
148	a) SU 5W 2 pin cool day light/warm white	Havell's	05 watts	Each	77	79
149	b) SU 5W 4 pin cool day light/warm white	Havell's	05 watts	Each	72	74
150	c) SU 7W 2 pin cool day light/warm white	Havell's	07 watts	Each	80	82
151	d) SU 7W 4pin cool day light/warm white	Havell's	07 watts	Each	72	74
152	e) SU 9W 2 pin cool day light/warm white	Havell's	09 watts	Each	83	85
153	f) SU 9W 4 pin cool day light/warm white	Havell's	09 watts	Each	77	79
154	g) SU 11W 2 pin cool day light/warm white	Havell's	11 watts	Each	88	90
155	h) SU 11W 4pin cool day light/warm white	Havell's	11 watts	Each	83	85
156	i) SU 10W 2/4 pin cool day light/warm white	Havell's	10 watts	Each	132	135

157	j) SU13W 2 pin cool day light/warm white	Havell's	13 watts	Each	132	135
158	k) SU13W 4pin cool day light/warm white	Havell's	13 watts	Each	121	124
159	l) SU 18W 2 pin cool day light/warm white	Havell's	18 watts	Each	154	157
160	m) SU18W 4pin cool day light/warm white	Havell's	18 watts	Each	143	146
161	n) SU 26W 2 pin cool day light/warm white	Havell's	26 watts	Each	198	202
162	o) SU 26W 4 pin cool day light/ warm white	Havell's	26 watts	Each	187	191
163	Change over swtich (On load type)	Havell's	DP 32 A	Each	1,315	1344
164	Change over swtich (On load type)	Havell's	TP 32 A	Each	1,914	1957
165	Change over swtich (On load type)	Havell's	TP 63 A	Each	3,779	3863
166	Change over swtich (On load type)	Havell's	TP 100 A	Each	7,139	7298
167	Change over swtich (On load type)	Havell's	FP 16 A	Each	1,920	1963
168	Change over swtich (On load type)	Havell's	FP 32 A	Each	2,305	2356
169	Change over swtich (On load type)	Havell's	FP 63 A	Each	4,692	4796
170	Change over swtich (On load type)	Havell's	FP 100 A	Each	9,434	9644
171	Change over swtich (Off load type)	Havell's	FP 200 A	Each	13,492	13792
172	Change over swtich (Off load type)	Havell's	FP 320 A	Each	17,133	17514
173	Change over swtich (On load type)	Indo Asian	FP 63 A	Each	3,641	3722
174	Change over swtich (On load type)	Indo Asian	Fp 125 A	Each	5,588	5712
175	Change over swtich (On load type)	Indo Asian	FP 200 A	Each	6,980	7135
176	Charcoal		Soft	Bag	528	540
177	Common salt			kg	8	8
178	Choke Electronic 18/20watts (Budget)	Anchor	18/20 W	Each	204	209
179	Choke Electronic 36/40watts (Budget)	Anchor	36/40 W	Each	215	220
180	Choke Electronic 18/20watts (Centon Sleek)	Anchor	18/20 W	Each	347	355
181	Choke Electronic 36/40watts (Centon sleek)	Anchor	36/40 W	Each	347	355
182	Choke Electronic18/20watts (Marix)	Anchor	18/20 W	Each	347	355
183	Choke Electronic 36/40watts (Marix)	Anchor	36/40 W	Each	347	355
184	Choke HPMV	Anchor	125 W	Each	748	765
185	Condenser	Anchor		Each	373	381
186	Copper wire (Bare)		06 SWG	kg	715	731
187	Copper wire (Bare)		08 SWG	kg	715	731
188	Copper wire (Bare)		10 SWG	kg	715	731
189	Copper wire (Bare)		12 SWG	kg	715	731
190	Copper wire (Bare)		14 SWG	kg	715	731
191	Copper wire (Bare)		16 SWG	kg	715	731
192	Copper wire (Bare)		18 SWG	kg	715	731
193	Copper Earth plate (2.7kg x715.00=1930.50)		12"x12"	kg	715	731
194	Copper Earth plate (6kgs x715.00=4290.00)		18"x18"	kg	715	731
195	Copper strps		20x4 mm	kg	715	731
196	Copper strps		25x5 mm	kg	715	731
197	Cotton flexible wire		M/guage	m	10	10
198	Cotton waste			kg	66	67
199	Ceiling/wall mounted No+NC swtich for lighting			Each	357	365
	<b>COMPOUND LUMINAIRES</b>					0
200	a) SPC 101,104/70(E)HPF 1x SON 70W(E)	Philips	70 W	Each	3,289	3362
201	b) SPC 201/70(I)LPF 1xSON 70 W(I)	Philips	70 W	Each	2,915	2980
202	Conicol cover (excluding lamp)					0
203	c) SPC 102/70(E) HPF 1xSON 70W (E)	Philips	70W	Each	3,289	3362
204	d) SPC 202/70(I) LPF 1xSON 70W(I)	Philips	70W	Each	2,915	2980
205	Elliptical cover (excluding lamp)					0
206	e) HPC 101/125 HPF 1xPL-N 125 W	Philips	125W	Each	2,948	3014
207	f) HPC 201/80 LPF 1xHPL-N 80 W	Philips	80 W	Each	2,794	2856
208	Conicol cover (excluding lamp)					0
209	g) HPC 102/125 HPF 1xHPL-N 125 W	Philips	125W	Each	2,948	3014
210	h) HPC 202/80 LPF 1xHPL-N 80 W	Philips	80W	Each	2,794	2856
211	Conicol cover (excluding lamp)					0
212	i) HPC 106/125 HPF 1xHPL-N 125 W	Philips	125W	Each	2,948	3014
213	j) HPC 206/80 LPF 1xHPL-n 80 W	Philips	80W	Each	2,794	2856
214	Spherical cover (excluding lamp)					0

215	k) HRC40/125 LPF 1x HPL-N 125 W	Philips	125W	Each	3,699	3781
216	l) NGC 100 1x GLS 60W	Philips	60W	Each	2,981	3047
217	m) FGC 100 1xPL-S 09 W	Philips	09W	Each	3,157	3227
218	BOLLARD(enviroment luminaire)					0
219	HPLLEDB5W Bollard	HPL	5W		6,300	6440
220	n) NGC 200 1xGLS 60W	Philips	60W	Each	2,420	2474
221	MINI BOLLARD(environment luminaire)					0
222	o) FGC 201 2x PLS 09 W	Philips	09W	Each	2,640	2699
223	p) FGC 202 1x PLS 18 W	Philips	18W	Each	2,585	2642
224	q) FGC 203 1x SL 18 W	Philips	18W	Each	2,398	2451
225	Landscape Lighting CFL POST TOP Lantern	HPL	26WATT	Each	4,500	4600
226	Landscape Lighting CFL POST TOP Lantern with Ballast	HPL	70WATT	Each	5,250	5367
227	Landscape Lighting CFL POST TOP Lantern with Ballast	HPL	150WATT	Each	7,400	7564
228	Distilld water			Ltr	30	31
229	Dril bit	ITI	1/2"	Each	573	586
230	Dril bit	ITI	1/4"	Each	347	355
231	Dril bit	ITI	19 mm	Each	832	850
232	Dril bit	ITI	3/8"	Each	227	232
233	Dril bit	ITI	5/8"	Each	832	850
234	Dril bit	ITI	06 mm	Each	311	318
235	Dril bit	ITI	08 mm	Each	380	388
236	Duplicating paper			Each	143	146
237	D.O.L. Moter starter in sheet steel enclosure(7.5HP	L & T	9-15 A	Each	858	877
238	D.O.L. Moter starter in sheet steel enclosure(7.5HP	L & T	11-18 A	Each	1,403	1434
239	D.O.L. Moter starter in sheet steel enclosure(7.5HP	L & T	13-22 A	Each	1,474	1507
240	D.O.L. Moter starter in sheet steel enclosure(7.5HP	L & T	20-32 A	Each	2,926	2991
241	D.O.L. Moter starter in sheet steel enclosure(7.5HP	L & T	20-32 A	Each	4,906	5015
242	Earthing plate C.L.		12"x12"	Each	231	236
243	Earthing plate C.L.		18"x18"	Each	358	366
244	Electric kettle			Each	715	731
245	Empire tape			roll	60	61
246	Emty tin			Each	22	22
247	Extension cord	Anchor	06 amps	Each	209	214
248	Extension cord	Anchor	16 amps	Each	383	392
249	Flourescent lamp holder brass	Anchor		pair	26	27
250	Flourescent lamp	Philips	20 watts	Each	48	49
251	Flourescent lamp	Philips	40 watts	Each	51	52
252	Flourescent lamp	Philips	18 watts	Each	45	46
253	Flourescent lamp	Philips	36 watts	Each	46	47
254	Flourescent Tube light TLD- 36W 80NG	Philips	37 watts	Each	110	112
255	Flourescent light fitting with electronic ballest	Anchor	20 watts	Each	438	448
256	Flourescent light fitting with electronic ballest	Anchor	40 watts	Each	453	463
257	Flourescent light electronic ballest		36watt		210	215
	<b>FANS</b>					0
259	Ceiling fan 1200mm	Havell's	48"	Each	1,612	1648
260	Ceiling fan 1400mm	Havell's	56"	Each	1,766	1805
261	Ventilating fans (Ventil Air -DX- 250mm)	Havell's	10"	Each	1,194	1221
262	Ventilating fans (Ventil Air -DS- 230mm)	Havell's	9"	Each	1,073	1097
263	Ventilating fans (Ventil Air -DS- 300mm)	Havell's	12"	Each	1,188	1214
264	Heavy duty Exhaust fan (Torbo force,S/phase,14	Havell's	12"	Each	2,448	2502
265	Heavy duty Exhaust fan (Torbo force,S/phase,90	Havell's	12"	Each	2,448	2502
266	Heavy duty Exhaust fan (Torbo force,S/phase,14	Havell's	18"	Each	4,059	4149
267	Heavy duty Exhaust fan (Torbo force,S/phase,90	Havell's	18"	Each	3,773	3857
268	Pedestal fan (450mm) Turbo force (Air circulators)	Havell's	18"	Each	5,968	6101
269	Pedestal fan (600mm) Turbo force (Air circulators)	Havell's	24"	Each	7,552	7720
270	Wall mounting (450mm) Turbo force (Air circulators)	Havell's	18"	Each	5,462	5583
271	Wall mounting (600mm) Turbo force (Air circulators)	Havell's	24"	Each	7,106	7264
272	G.I. pipes (Medium guage)	Bansal	020 mm	m	88	90
273	G.I. pipes (Medium guage)	Bansal	125 mm	m	129	132

274	G.I. pipes (Medium guage)	Bansal	132 mm	m	166	170
275	G.I. pipes (Medium guage)	Bansal	040 mm	m	195	199
276	G.I. pipes (Medium guage)	Bansal	050 mm	m	256	262
277	G.I. pipes (Medium guage)	Bansal	080 mm	m	437	447
278	G.I. pipes (Medium guage)	Bansal	100 mm	m	623	637
279	G.I. reducer socket (Medium guage)	SONA	025x19mm	Each	22	22
280	G.I. reducer socket (Medium guage)	SONA	032x25mm	Each	34	35
281	G.I. reducer socket (Medium guage)	SONA	040x32mm	Each	43	44
282	G.I. reducer socket (Medium guage)	SONA	050x40mm	Each	72	74
283	G.I. reducer socket (Medium guage)	SONA	080x50mm	Each	176	180
284	G.I. reducer socket (Medium guage)	SONA	100x80mm	Each	286	292
285	G.I.band (Medium guage)	Bansal	020 mm	Each	26	27
286	G.I.band (Medium guage)	Bansal	025 mm	Each	39	40
287	G.I.band (Medium guage)	Bansal	032 mm	Each	51	52
288	G.I.band (Medium guage)	Bansal	040 mm	Each	64	65
289	G.I.band (Medium guage)	Bansal	050 mm	Each	108	110
290	G.I.band (Medium guage)	Bansal	080 mm	Each	120	123
291	G.I.band (Medium guage)	Bansal	100 mm	Each	145	148
292	G.I. elbow (Medium guage)	MAC	020 mm	Each	36	37
293	G.I. elbow (Medium guage)	MAC	025 mm	Each	50	51
294	G.I. elbow (Medium guage)	MAC	032 mm	Each	81	83
295	G.I. elbow (Medium guage)	MAC	040 mm	Each	105	107
296	G.I. elbow (Medium guage)	MAC	050 mm	Each	194	198
297	G.I. elbow (Medium guage)	MAC	080 mm	Each	410	419
298	G.I. elbow (Medium guage)	MAC	100 mm	Each	810	828
299	G.I.Socket (Medium guage)	MAC	020 mm	Each	31	32
300	G.I.Socket (Medium guage)	MAC	025 mm	Each	41	42
301	G.I.Socket (Medium guage)	MAC	032 mm	Each	59	60
302	G.I.Socket (Medium guage)	MAC	040 mm	Each	76	78
303	G.I.Socket (Medium guage)	MAC	050 mm	Each	117	120
304	G.I.Socket (Medium guage)	MAC	080 mm	Each	254	260
305	G.I.Socket (Medium guage)	MAC	100 mm	Each	457	467
306	G.I.short piece (Medium guage)		020x150mm	Each	11	11
307	G.I.short piece (Medium guage)		025x150mm	Each	14	14
308	G.I.short piece (Medium guage)		035x150mm	Each	21	21
309	G.I.short piece (Medium guage)		040x150mm	Each	28	29
310	G.I.short piece (Medium guage)		050x150mm	Each	39	40
311	G.I.short piece (Medium guage)		075x150mm	Each	52	53
312	G.I.short piece (Medium guage)		100x150mm	Each	76	78
313	G.I.tupe type 1m long lightning arrestor having prongs at the top of the arrestor and base plate with nuts &		1m length	Each	531	543
314	G.I. strips		20x4 mm	m	50	51
315	G.I. strips		25x5 mm	m	65	66
316	G.I. strips		35x6 mm	m	78	80
317	st.light fitting				747	764
318	G.I. shaddle		25 mm	Each	2	2
319	G.I. shaddle		20 mm	Each	2	2
320	Guy insulator	Jaishree		Each	66	67
321	G.I. funnel		10"	E	66	67
322	H.T.fuse wire (250 gram)		05 amps	roll	198	202
323	H.T.fuse wire		10 amps	roll	198	202
324	H.T.fuse wire		15 amps	roll	198	202
325	H.T.fuse wire		20 amps	roll	198	202
326	H.T.fuse wire		30 amps	roll	198	202
327	H.T.fuse wire		60 amps	roll	198	202
328	Hack saw blade		Double	Each	6	6
329	Hack saw blade		Single	Each	4	4
330	Halogen bulb	Havell's	1000 W	Each	116	119
331	Halogen bulb	Havell's	0500 W	Each	99	101

332	Halogen bulb holder	Havell's		Each	22	22
333	Halogen fitting NVC 502	Philips	1000 W	Each	1,859	1900
334	Halogen fitting QVE 500	Philips	0500 W	Each	924	945
335	Halogen KANO 50 W-12 Volt bulb	Havell's	50W-12V	Each	50	51
336	Hand lamp		100 watt	Each	385	394
337	Holder for SV lamp	Havell's	150/250 W	Each	50	51
338	Holder for flood light			Each	50	51
339	Ignitor	Havell's		Each	437	447
340	Invertor		1250 VA	Each	9,350	9558
341	Iron nails		1"	kg	50	51
342	Iron nails		1/2"	kg	50	51
343	Iron nails		3/4"	kg	50	51
344	Iron nails		2"	kg	50	51
345	Kit Kat	Mex	16 Amps	Each	31	32
346	Kit Kat	Mex	32 Amps	Each	60	61
347	Kit Kat	Mex	63 Amps	Each	172	176
348	Kit Kat	Mex	100 amps	Each	308	315
349	Kit Kat	Mex	200 amps	Each	554	566
350	Kit Kat	Mex	500 Amps	Each	715	731
351	Lock & Key	Godrej	Big	Each	132	135
352	Lock & Key	Godrej	Medium	Each	94	96
353	Lock & Key	Godrej	Small	Each	50	51
354	Lighting conductor (copper)with base plate		25mm	E	1,431	1463
355	M.seal putty	M.seal		Kg	319	326
356	M.S.box 20SWG with sheet corner painted	Sona brand	4"x4"	Each	26	27
357	M.S.box 20SWG with sheet corner painted	Sona brand	6"x4"	Each	30	31
358	M.S.box 20SWG with sheet corner painted	Sona brand	6"x8"	Each	40	41
359	M.S.box 20SWG with sheet corner painted	Sona brand	10"x12"	Each	77	79
360	M.S. circular box	Gupta	1,2,3&4 way	Each	17	17
361	M.S.conduit pipe 1"	Gupta	10'	m	34	35
362	M.S conduit pipe 3/4"	Gupta	10'	m	33	34
363	M.S conduit bend		19mm	E	12	12
364	M.S conduit elbow		19mm	E	12	12
365	M.S conduit shaddle		19mm	E	2	2
366	M.S conduit down rod with flange & check nuts for mounting TL fitting etc. 19mm dia		30cm	Each	17	17
367	M.S nuts & bolts		1"x4"	Each	8	8
368	M.S nuts & bolts		1/2"X5/8"	Each	8	8
369	M.S nuts & bolts		5/8"x3"	Each	11	11
370	M.S nuts & bolts		1/2"x1"	Each	4	4
371	M.S nuts & bolts		1/2"x1/2"	Each	6	6
372	M.S nuts & bolts		1/2"x12"	Each	22	22
373	M.S nuts & bolts		1/2"x2"	Each	7	7
374	M.S nuts & bolts		1/2"x6"	Each	13	13
375	M.S nuts & bolts		1/2"x3"	Each	9	9
376	M.S nuts & bolts		5/8"x1"	Each	6	6
377	M.S nuts & bolts		5/8"x12"	Each	44	45
378	M.S nuts & bolts		5/8"x2"	Each	9	9
379	M.S nuts & bolts		5/8"x4"	Each	11	11
380	M.S nuts & bolts		5/8"x6"	Each	20	20
381	M.S washer		All size	kg	44	45
382	Main switch	Havell's	16 A SPN	Each	396	405
383	Main switch	Havell's	32 A SPN	Each	1,045	1068
384	Main switch	Havell's	63 A SPN	Each	2,541	2597
385	Main switch	Havell's	16 A D. P	Each	407	416
386	Main switch	Havell's	32 A D.P	Each	1,128	1153
387	Main switch	Havell's	63 A D .P	Each	2,932	2997
388	Main switch	Havell's	32 A TPN	Each	1,656	1693
389	Main switch	Havell's	63 A TPN	Each	3,460	3537

390	Main switch	Havell's	100 A TPN	Each	6,754	6904
391	Main switch	Havell's	200 A TPN	Each	10,450	10682
392	Main switch	Havell's	320 A TPN	Each	14,432	14753
#REF!	MCB (SP)	Havell's	6-32 A (SP)	Each	160	164
#REF!	MCB (SP)	Havell's	40 A (SP)	Each	330	337
#REF!	MCB (SP)	Havell's	63 A (SP)	Each	402	411
#REF!	MCB (DP)	Havell's	32 A (DP)	Each	528	540
#REF!	MCB (DP)	Havell's	40 A (DP)	Each	726	742
#REF!	MCB (DP)	Havell's	63 A (DP)	Each	858	877
#REF!	MCB (TP)	Havell's	6-32 A(TP)	Each	792	810
#REF!	MCB (TP)	Havell's	40 A (TP)	Each	1,100	1124
#REF!	MCB (TP)	Havell's	63 A(TP)	Each	1,260	1288
#REF!	MCB (FP)	Havell's	6-32 A(FP)	Each	1,161	1187
#REF!	MCB (FP)	Havell's	40 A (FP)	Each	1,474	1507
#REF!	MCB (FP)	Havell's	63 A (FP)	Each	1,661	1698
#REF!	MCB Distn. Board (SP & N) (Single door)	Havell's	1 or 2 way	Each	182	186
#REF!	MCB Distn. Board (SP & N) (Single door)	Havell's	4 way	Each	484	495
#REF!	MCB Distn. Board (SP & N) (Double door)	Havell's	4 way	Each	759	776
#REF!	MCB Distn. Board (SP & N) (Single door)	Havell's	8 way	Each	638	652
#REF!	MCB Distn. Board (SP & N) (Double door)	Havell's	8 way	Each	1,023	1046
#REF!	MCB Distn. Board (SP & N) (Single door)	Havell's	12 way	Each	836	855
#REF!	MCB Distn. Board (SP & N) (Double door)	Havell's	12 way	Each	1,359	1389
#REF!	MCB Distn. Board (SP & N) (Single door)	Havell's	16 way	Each	1,029	1052
#REF!	MCB Distn. Board (SP & N) (Double door)	Havell's	16 way	Each	1,678	1715
#REF!	MCB DB (TP) Single Ph. Out going (S.door)	Havell's	4 w(4+12)	Each	1,590	1625
#REF!	MCB DB (TP) Single Ph. Out going (D.door)	Havell's	4w(4+12)	Each	2,206	2255
#REF!	MCB DB (TP) Single Ph. Out going (S.door)	Havell's	6 w(4+18)	Each	1,887	1929
#REF!	MCB DB (TP) Single Ph. Out going (D.door)	Havell's	6 w(4+18)	Each	2,739	2800
#REF!	MCB DB (TP) Single Ph. Out going (S.door)	Havell's	8 w(8+12)	Each	1,606	1642
#REF!	MCB DB (TP) Single Ph. Out going (D.door)	Havell's	8 w(8+12)	Each	2,250	2300
#REF!	MCB DB (TP) Single Ph. Out going (S.door)	Havell's	8 w(8+18)	Each	1,920	1963
#REF!	MCB DB (TP) Single Ph. Out going (D.door)	Havell's	8 w(8+18)	Each	2,789	2851
#REF!	MCB DB (TP) Single Ph. Out going (S.door)	Havell's	8 w(8+24)	Each	2,228	2278
#REF!	MCB DB (TP) Single Ph. Out going (D.door)	Havell's	8 w(8+24)	Each	3,421	3497
#REF!	MCB DB (TP) Single Ph. Out going (S.door)	Havell's	8 w(8+36)	Each	3,097	3166
#REF!	MCB DB (TP) Single Ph. Out going (D.door)	Havell's	8 w(8+36)	Each	4,769	4875
#REF!	MCB Isolators	Havell's	DP 40 A	Each	314	321
#REF!	MCB Isolators	Havell's	DP 63 A	Each	407	416
#REF!	MCB Isolators	Havell's	DP 80 A	Each	528	540
#REF!	MCB Isolators	Havell's	DP 100 A	Each	528	540
#REF!	MCB Isolators	Havell's	DP 125 A	Each	583	596
#REF!	MCB Isolators	Havell's	FP 40 A	Each	732	748
#REF!	MCB Isolators	Havell's	FP 63 A	Each	759	776
#REF!	MCB Isolators	Havell's	FP 80 A	Each	979	1001
#REF!	MCB Isolators	Havell's	FP 100 A	Each	979	1001
#REF!	MCB Isolators	Havell's	FP 125 A	Each	1,023	1046
#REF!	Motor stater swtich SP for AC Coolers	Roma	0.75-25 A	Each	435	445
#REF!	Menhole cover (heavy duty)		18"	E	790	808
#REF!	Plastic Jarrikin	GE	20 ltr	Each	115	118
#REF!	PVC T/C wire 90 M (Aluminium)W.proof		04 sqmm	coil	880	900
#REF!	PVC T/C wire 90 M (Aluminium)W.proof		06 sqmm	coil	1,320	1349
#REF!	PVC T/C wire 90 M (Aluminium)W.proof		10 sqmm	coil	2,310	2361
#REF!	PVC Aluminium wire		1.5 sqmm	coil	138	141
#REF!	PVC Aluminium wire		16 sqmm	coil	1,760	1799
#REF!	PVC Aluminium wire		01 sqmm	coil	121	124
#REF!	PVC Aluminium wire		2.5 sqmm	coil	319	326
#REF!	PVC Aluminium wire		04 sqmm	coil	435	445
#REF!	PVC Aluminium wire		06 sqmm	coil	605	618
#REF!	PVC casing caping bit (Double) (2 m long)	Diamond	1"	Each	28	29



#REF!	PVC casing caping bit (Double) (2 m long)	Diamond	1 1/2"	Each	39	40
#REF!	PVC casing caping bit (Double) (2 m long)	Diamond	3/4"	Each	26	27
#REF!	PVC casing caping bit (Double) (2 m long)	Diamond	3/4"	Each	20	20
#REF!	PVC casing caping bit (Double) (2 m long)	Diamond	1"	Each	22	22
#REF!	PVC Casing fitting	Diamond	1"	Each	3	3
#REF!	PVC Casing fitting	Diamond	1 1/2"	Each	4	4
#REF!	PVC Casing fitting	Diamond	3/4"	Each	2	2
#REF!	PVC conduit pipe	Berila	1"	Each	87	89
#REF!	PVC conduit pipe	Berila	3/4"	Each	57	58
#REF!	PVC Insulated cu.Wire (90m) (HR FRLS)	Havell's	1.0 sqmm	coil	1,276	1304
#REF!	PVC Insulated cu.Wire (90m) (HR FRLS)	Havell's	1.5 sqmm	coil	1,859	1900
#REF!	PVC Insulated cu.Wire (90m) (HR FRLS)	Havell's	2.5 sqmm	coil	2,877	2941
#REF!	PVC Insulated cu.Wire (90m) (HR FRLS)	Havell's	4.0 sqmm	coil	4,334	4430
#REF!	PVC Insulated cu.Wire (90m) (HR FRLS)	Havell's	6.0 sqmm	coil	6,749	6899
#REF!	PVC Insulated cu.Wire (90m) (FRLS)	Havell's	1.0 sqmm	coil	1,070	1094
#REF!	PVC Insulated cu.Wire (90m) (FRLS)	Havell's	1.5 sqmm	coil	1,601	1637
#REF!	PVC Insulated cu.Wire (90m) (FRLS)	Havell's	2.5 sqmm	coil	2,486	2541
#REF!	PVC Insulated cu.Wire (90m) (FRLS)	Havell's	4.0 sqmm	coil	3,746	3829
#REF!	PVC Insulated cu.Wire (90m) (FRLS)	Havell's	6.0 sqmm	coil	5,847	5977
#REF!	PVC insulated Tel.cable for indoor application	Havell's	1 pair	coil	820	838
#REF!	PVC insulated Tel.cable for indoor application	Havell's	2 pair	coil	1,430	1462
#REF!	PVC insulated Tel.cable for indoor application	Havell's	3 pair	coil	1,986	2030
#REF!	PVC flexible conduit pipe	Berila	3/4"	m	14	14
#REF!	PVC flexible conduit pipe	Berila	1"	m	19	19
#REF!	PVC Filexible wire		H.guage	m	11	11
#REF!	PVC Filexible wire		M.guage	m	10	10
#REF!	PVC round box	Berila		Each	4	4
#REF!	PVC shaddle	Berila	3/4" & 1"	Each	1	1
#REF!	PVC square box			Each	6	6
#REF!	PVC tape	Anchor		roll	17	17
#REF!	Para tabe			roll	60	61
#REF!	Painting brush (Best quality)			Inch	11	11
#REF!	Room Heater	Ramson ISI	Single	Each	495	506
#REF!	Room Heater	Ramson ISI	Double	Each	660	675
#REF!	Room Heater	Ramson ISI	Convector	Each	1,980	2024
#REF!	Room Heater (1200 watts)	Ramson ISI	Holegen	Each	2,101	2148
#REF!	Room Heater rod	Ramson ISI	Holegen	Each	200	204
#REF!	Room Heater rod	Ramson ISI	Ordinary	Each	39	40
#REF!	Residual current circuit breaker (RCCB) (DP)	Havell's	16/25A-30mA	Each	2,019	2064
#REF!	Residual current circuit breaker (RCCB) (DP)	Havell's	16/25A-100mA	Each	1,964	2008
#REF!	Residual current circuit breaker (RCCB) (FP)	Havell's	25A-30mA	Each	2,585	2642
#REF!	Residual current circuit breaker (RCCB) (FP)	Havell's	25A-100mA	Each	2,486	2541
#REF!	Residual current circuit breaker (RCCB) (DP)	Havell's	32/40 A-30mA	Each	2,129	2176
#REF!	Residual current circuit breaker (RCCB) (DP)	Havell's	32/40 A-100mA	Each	2,096	2143
#REF!	Residual current circuit breaker (RCCB) (FP)	Havell's	40A-30mA	Each	2,618	2676
#REF!	Residual current circuit breaker (RCCB) (FP)	Havell's	40A-100mA	Each	2,530	2586
#REF!	Residual current circuit breaker (RCCB) (DP)	Havell's	63A-30mA	Each	2,871	2935
#REF!	Residual current circuit breaker (RCCB) (DP)	Havell's	63A-100mA	Each	2,750	2811
#REF!	Residual current circuit breaker (RCCB) (FP)	Havell's	63A-30mA	Each	2,987	3053
#REF!	Residual current circuit breaker (RCCB) (FP)	Havell's	63A-100mA	Each	2,915	2980
#REF!	Screw		1"	Pkt	33	34
#REF!	Screw		1/2"	Pkt	44	45
#REF!	Screw		2"	Pkt	55	56
#REF!	Screw		1/2"	Pkt	24	25
#REF!	Screw		3/4"	Pkt	28	29
#REF!	Screw (Mashine) brass		3/4 x 17	grose	202	206
#REF!	Screw (Mashine) brass		3/16 x 1"	grose	253	259
#REF!	Screw (Mashine) brass		3/16 x 1"1/2"	grose	257	263
#REF!	Brass washer			for 100r	11	11

#REF!	Shakle strip G.I.			Each	10	10
#REF!	Silica jel			Kg	105	107
#REF!	Sodium vapour choke	HPL	070 W	Each	1,125	1150
#REF!	Sodium vapour choke	HPL	150 W	Each	1,650	1687
#REF!	Sodium vapour choke	HPL	250 W	Each	2,400	2453
#REF!	Sodium vapour choke	HPL	400 W	Each	3,500	
#REF!	Sodium vapour bulb/ lamp 400 Watts (Tubular/Elliptical)	HPL	250 W	Each	620	
#REF!	Sodium vapour lamp 250 Watts(Tubular/Elliptical)	HPL	250 W	Each	530	542
#REF!	Sodium vapour lamp 150 Watts	HPL	150 W	Each	515	526
#REF!	Sodium vapour lamp 070 Watts	HPL	070 W	Each	430	440
#REF!	Capacitor 10MFD	HPL			120	123
#REF!	Capacitor 20MFD	HPL			220	225
#REF!	Capacitor 33MFD	HPL			350	358
#REF!	Capacitor 42MFD	HPL			400	409
#REF!	Ignitor Electronic short distance		70-400 SV/MH		160	164
#REF!	Ignitor Electronic long distance		70-400 SV/MH		180	184
#REF!	Ignitor Electronic super imposed		70-400 SV/MH		340	348
#REF!	Starter	Anchor	20/40 W	Each	10	10
#REF!	Starter seat brass(holder)	Anchor		Each	10	10
#REF!	Sunmica Box		4"x 4"	Each	19	19
#REF!	Sunmica Box		6" x4"	Each	22	22
#REF!	Sunmica Box		6" x8"	Each	24	25
#REF!	Sunmica Box		8" x10"		35	36
#REF!	Sunmica Box		10'x 12'	Each	46	47
#REF!	Synthetic rope		All sizes	kg	160	164
#REF!	Storage water heater (Meta body)Combistat (V)	Bajaj	15ltr(2 KW)	Each	6,798	6949
#REF!	Storage water heater (Meta body)Combistat (V)	Bajaj	25ltr(2 KW)	Each	7,711	7882
#REF!	Storage water heater (Meta body)Combistat (V)	Bajaj	35ltr(2 KW)	Each	8,789	8984
#REF!	Storage water heater (Meta body)Combistat (V)	Bajaj	50ltr(2 KW)	Each	10,516	10750
#REF!	T.W.board		10"x12"	Each	46	47
#REF!	T.W.board		4"x4"	Each	7	7
#REF!	T.W.board		6"x8"	Each	13	13
#REF!	T.W.board		8"x10"	Each	30	31
#REF!	Tarpoline (Plastic)			sqft	4	4
#REF!	Torch cell 1.5 volts	Eveready	1.5 V	Each	14	14
#REF!	Welding electrode		No.10	Each	9	9
#REF!	Welding electrode		No.8	Each	11	11
#REF!	Switch 6 A (Mosaic) (1 Module)	Legrand	1 Way	Each	116	119
#REF!	Switch 6 A (Mosaic) (1 Module)	Legrand	2 Way	Each	129	132
#REF!	Switch with indicator 6 A (Mosaic)(1Module)	Legrand	1 Way	Each	142	145
#REF!	Switch 10 A (Mosaic) (2 Module)	Legrand	1 Way	Each	146	149
#REF!	Switch 16 A (Mosaic) (1 Module)	Legrand	1 Way	Each	174	178
#REF!	Switch with indicator 16 A (Mosaic)(1Module)	Legrand	1 Way	Each	183	187
#REF!	Switch 20 A (Mosaic) (1 Module)	Legrand	1 Way	Each	342	350
#REF!	Switch with indicator 20 A (Mosaic)(2Module)	Legrand	1 way	Each	365	373
#REF!	Switch with indicator 32 A DP (Mosaic)(1/2 M)	Legrand	1 way	Each	560	572
#REF!	Switch with indicator 40 A DP (Mosaic)(1/2 M)	Legrand	1 way	Each	601	614
#REF!	Bell puch 6 A (Mosaic) (1 Module)	Legrand	1 way	Each	142	145
#REF!	Bell push with indicator 6 A(Mosaic)(1 M)	Legrand	1 way	Each	183	187
#REF!	Dimmers light & fan regulator (Mosaic) (2 M)	Legrand	60-400 W	Each	597	610
#REF!	Buzzer (Mosaic) (1 Module)	Legrand	23V AC	Each	636	650
#REF!	Indicator red (1 module) ( Mosaic)	Legrand	Red	Each	344	352
#REF!	Socket shuttered 6 A (2 Module) (Mosaic)	Legrand	2/3 pin	Each	183	187
#REF!	Socket shuttered 6 /16 A (3 Module) (Mosaic)	Legrand	3 pin	Each	255	261
#REF!	Socket 6 /16 A (1 Module) (Mosaic)	Legrand	2 pin	Each	241	246
#REF!	Socket shuttered 13 A(British) (2 Module)	Legrand	3 pin	Each	349	357
#REF!	Shaver socket (4 module) (Mosaic)	Legrand	110/230V AC	Each	4,366	4463
#REF!	TV socket co-axial (1 Module) (Mosaic)	Legrand		Each	125	128
#REF!	Telephone socket (1 Module )(Mosaic)	Legrand	2 pin	Each	204	209

#REF!	Telephone piug (Mosaic)	Legrand	2 pin	Each	96	98
#REF!	Telephon socket (RJ-11 Jack) (1 moudle)	Legrand	Jack	Each	121	124
#REF!	Blanking plate (1 Module)(Mosaic)	Legrand		Each	25	26
#REF!	Cable out let (1 Module)(Mosaic)	Legrand	8mm	Each	143	146
#REF!	White plate (1 Module)(Mosaic)	Legrand		Each	85	87
#REF!	White plate (2 Module)(Mosaic)	Legrand		Each	90	92
#REF!	White plate (3 Module)(Mosaic)	Legrand		Each	98	100
#REF!	White plate (4 Module)(Mosaic)	Legrand		Each	103	105
#REF!	White plate (6 Module)(Mosaic)	Legrand		Each	185	189
#REF!	White plate (8 Module)(Mosaic)	Legrand		Each	204	209
#REF!	White plate (4x2 Module)(Mosaic)	Legrand		Each	261	267
#REF!	White plate (12=6x2Module)(Mosaic)	Legrand		Each	306	313
#REF!	White plate (18=6x2Module)(Mosaic)	Legrand		Each	407	416
#REF!	Metal flush box (1/ 2Module )(Mosaic)	Legrand		Each	52	53
#REF!	Metal flush box (3 Module )(Mosaic)	Legrand		Each	52	53
#REF!	Metal flush box (4 Module )(Mosaic)	Legrand		Each	70	72
#REF!	Metal flush box (6/8 Module )(Mosaic)	Legrand		Each	111	113
#REF!	Metal flush box (4x2 Module )(Mosaic)	Legrand		Each	125	128
#REF!	Metal flush box (12=6 x 2 Module )(Mosaic)	Legrand		Each	190	194
#REF!	Metal flush box (18=6 x 3 Module )(Mosaic)	Legrand		Each	237	242
#REF!	Switch 6 A (Mylic) (1 module)	Legrand	1 way	Each	75	77
#REF!	Switch 6 A (Mylic) (1 module)	Legrand	2 Way	Each	105	107
#REF!	Switch with indicator 6A (Mylic) (1 module)	Legrand	1 Way	Each	109	111
#REF!	Switch 16A (Mylic) (1 module)	Legrand	1 way	Each	118	121
#REF!	Switch 16A (Mylic) (1 module)	Legrand	2 way	Each	133	136
#REF!	Switch with indicator(Mylic) (1 module)	Legrand	1 Way	Each	145	148
#REF!	Switch with indicator(DP)32A (2 module)	Legrand	1 Way	Each	278	284
#REF!	Bell push (Mylic) 6 A (1 module)	Legrand	1 Way	Each	102	104
#REF!	Bell push with indicator 6 A(Mylic)(2 M)	Legrand	1 Way	Each	194	198
#REF!	Indicator light red (1 module) (Mylic)	Legrand		Each	114	117
#REF!	Rotative dimmer for light (2 module)	Legrand	60-250W	Each	301	308
#REF!	Fan regulator 0-4 steps (Mylic) (2 module)	Legrand	100 W	Each	415	424
#REF!	2/3 pin socket 6A combine (2 module)	Legrand		Each	109	111
#REF!	3 pin 6/16 A socket combine (Mylic) (2 M)	Legrand		Each	177	181
#REF!	TV socket (Mylic) (1 module)	Legrand		Each	92	94
#REF!	Tel. socket RJ 11 (Mylic) ( 1 Module)	Legrand		Each	91	93
#REF!	White plate (Mylic) ( 1 module)	Legrand		Each	54	55
#REF!	White plate (Mylic) ( 2 module)	Legrand		Each	54	55
#REF!	White plate (Mylic) ( 3 module)	Legrand		Each	72	74
#REF!	White plate (Mylic) ( 4 module)	Legrand		Each	80	82
#REF!	White plate (Mylic) ( 6 module)	Legrand		Each	102	104
#REF!	White plate (Mylic) ( 8 module)	Legrand		Each	130	133
#REF!	Metal flush box (Mylic) ( 1/2 Module)	Legrand		Each	52	53
#REF!	Metal flush box (Mylic) ( 3 Module)	Legrand		Each	52	53
#REF!	Metal flush box (Mylic) ( 4 Module)	Legrand		Each	70	72
#REF!	Metal flush box (Mylic) ( 6 Module)	Legrand		Each	111	113
#REF!	Metal flush box (Mylic) ( 8 Module)	Legrand		Each	124	127
#REF!	Teak wood round block		3"	E	8	8
#REF!	Decorative light fitting for dining room(table)			E	1,210	1237
#REF!	Decorative light fitting for dining room(table)		Single	E	418	427
#REF!	Ceiling luminaires(FCS 31/209,211W)	Philips		E	1,210	1237
#REF!	Mirror lamp fitting suitable for PLS 9/11W	Philips		E	473	484
#REF!	FL fitting strip lite electronic ballast	Philips	TL'D36/40w	E	402	411
#REF!	Indoor decorative liminaires for ceiling mounting with opal acrylic diffuser					0
#REF!	TCS 19/218 HPF 2xTL'D 18/20W	Philips	2x18/20 W	E	1,232	1259
#REF!	TCS 19/236 HPF 2xTL'D 36/40W	Philips	2x36/40 W	E	1,705	1743

#REF!	Surface mounting luminaires with tapered ripplelameliac decorative light efficiency optic TCS 398,236 D 62 HPF 2xTL'D36W	Philips		E	3,894	3981
#REF!	indoor luminare suspended mounted functional and decorative mirror optic with special aqelourves and sutible for F lamps TL 5/TL-D type	Philips	2xTL-36 W	E	4,257	4352
#REF!	Recesses mounting downlighter,with Chrome plated reflector/ABS reflector,complete luminaire comrises of both housing & attach					0
#REF!	a) FBH 225/218 w/o ZZG 2XPL-C 18 w	Philips		E	1,749	1788
#REF!	a) FBH 225/216 w/o ZZG 2XPL-C 26 w	Philips		E	1,650	1687
#REF!	Recessed mounting (CAT-2)luminaire with 3 Dlamellae OLC optics designed for strip ceiling (Luxanlon 84R) or similar ceiling mounting system TBS 339/236 D6 HF	Philips		E	4,675	4779
#REF!	Wooden box for housing MDBs/Switch gear (local manufacturing)			sqft	275	281
#REF!	M.S angle iron frame for mounting MDBs			kg	88	90
#REF!	Decorative CFL luminare for wall mounting FL 800/320 suitable for 1xEcotone/Decor	Philips		E	204	209
#REF!	Decorative CFL luminare ABS housing with polycarbonate rings and thermoset plastic lamp holder FL 800/320 suitable for 1xEcotone/Décor	Philips		E	204	209
#REF!	SL Décor (CFL) lamp	Philips	15 W	E	446	456
#REF!	SL Décor (CFL) lamp	Philips	20 W	E	468	478
#REF!	Batten Gitti (casing gitti)	Avon Gold	All sizes	PKT	20	20
#REF!	Sheet metal concelled box	Roma	6 module	E	86	88
#REF!	Single mounting plate	Roma	6 module	E	51	52
#REF!	<b>ROAD WAYS LIGHTING</b>					
#REF!	OPTAL 2 (1X 150 W SON-T)LHRS 23115A36	Havell's	150W	E	6,617	6764
#REF!	CFL Aluminium, Body 35 /45 watt	HPL	35/45w		1,350	1380
#REF!	CFL Aluminium, Body 85 watt HPLCFLSTALE85W	HPL	85w		1,575	1610
#REF!	HPSV 70 WATT complete set	HPL			New items	4250
#REF!	HPSV 150 WATTcomplete set	HPL			New items	5900
#REF!	HPSV 250 WATTcomplete set	HPL			New items	7500
#REF!	HPSV 400 WATTcomplete set	HPL			New items	9600
#REF!	Flood Light 70 watt Sodium	HPL			New items	4850
#REF!	Flood Light 150 watt Sodium	HPL			New items	5200
#REF!	Flood Light 250 watt Sodium	HPL			New items	7650
#REF!	Flood Light 400 watt Sodium	HPL			New items	8900
#REF!	LED Street Light 40watt	HPL			New items	6200
#REF!	LED Street Light 65watt	HPL			New items	10075
#REF!	LED Street Light 90watt	HPL			New items	13950
#REF!	LED Street Light 120watt	HPL			New items	18600
#REF!	LED Street Light 160watt	HPL			New items	25920
#REF!	LED Flood Light 50watt	HPL			New items	7750
#REF!	LED Flood Light 90 watt	HPL			New items	13950
#REF!	LED Flood Light 120watt	HPL			New items	18600
#REF!	LED Flood Light 160watt	HPL			New items	25920
#REF!	LED Flood Light 200watt	HPL			New items	32400
#REF!	Time switch 230v for street light	L&T/GIC			New items	2200
#REF!	Astronomical Time switch 230 v (Mini)for street light	GIC			New items	2600

#### R CUIT BREAKERS

1	630A, 50KA, MDOType, TP	HPL		No	New items	127620
2	630A, 50KA, EDO Type, TP	HPL		No	New items	165429
3	800A, 50KA, MDOType, TP	HPL		No	New items	132381
4	800A, 50KA, EDO Type, TP	HPL		No	New items	166563
5	1000A,50KA,MDO Type,TP	HPL		No	New items	138744
6	1000A, 50KA, EDO Type,TP	HPL		No	New items	172935

7	1250A,50KA,MDO Type,TP	HPL		No	New items	166743
8	1250A,50KA, EDO Type,TP	HPL		No	New items	201474
9	630A, 50KA, MDOType, FP	HPL		No	New items	167688
10	630A, 50KA, EDO Type, FP	HPL		No	New items	205389
11	800A, 50KA, MDOType, FP	HPL		No	New items	168246
12	800A, 50KA, EDO Type, FP	HPL		No	New items	206019
13	1000A,50KA,MDO Type,FP	HPL		No	New items	176994
14	1000A, 50KA, EDO Type,FP	HPL		No	New items	214578
15	1250A,50KA,MDO Type,FP	HPL		No	New items	202716
16	1250A,50KA, EDO Type,FP	HPL		No	New items	240129
		HPL		No		
	<b>HRC FUSE LINK BOLTED TYPE</b>	HPL		No		
1	HRC Fuse Link 2 to 32 A, O FFSET	HPL		No	New items	54
2	HRC Fuse Link 6A to 40 A , 2 Hole Fixing	HPL		No	New items	81
3	HRC Fuse Link 100A, 2 Hole Fixing	HPL		No	New items	198
4	HRC Fuse Link 200A, 2 Hole Fixing	HPL		No	New items	270
	<b>HRC FUSE LINK HOLDER &amp; BASE TYPE</b>	HPL		No	New items	
1	HRC Fuse Link 2 to 32 A,	HPL		No	New items	216
2	HRC Fuse Link 6A to 63 A ,	HPL		No	New items	261
3	HRC Fuse Link 100A,	HPL		No	New items	495
4	HRC Fuse Link 200A,	HPL		No	New items	801
	<b>FUSE HOLDER FOR REWIRABLE FUSE LINK</b>	HPL		No	New items	
1	20 A	HPL		No	New items	117
2	32 A	HPL		No	New items	189
3	63 A	HPL		No	New items	243
	<b>SHEET STEEL ENCLOSURE FITTED WITH 3NOS HR</b>	HPL		No	New items	
1	32A	HPL		No	New items	3717
2	63A	HPL		No	New items	4545
3	160A	HPL		No	New items	10161
4	200A	HPL		No	New items	12366
	<b>LOAD BREK SWITCHES IN STEEL ENCLOSURE</b>	HPL		No	New items	
1	100A	HPL		No	New items	5697
2	200 A	HPL		No	New items	9711
3	400A	HPL		No	New items	19026
4	630A	HPL		No	New items	22716
5	1000A	HPL		No	New items	49563
	<b>ONLOAD CHANGEOVER IN STEEL ENCLOSURE</b>	HPL		No	New items	
1	63A	HPL		No	New items	7254
2	100A	HPL		No	New items	9234
3	200A	HPL		No	New items	17361
4	400A	HPL		No	New items	36954
5	630A	HPL		No	New items	42822
6	1000A	HPL		No	New items	112563
7	1250A	HPL		No	New items	155637
	<b>PROTECTION RELAYS</b>	HPL		No	New items	
1	2OC+1EF Numerical Relay for 11KV /66KV CR Panel	HPL		No	New items	26531
2	Differential relay, HR , Highset.	HPL		No	New items	79592
3	Master trip	HPL		No	New items	15918
4	Restricted earth fault relay	HPL		No	New items	15918
5	APFC Relay , L&T	HPL		No	New items	11673
	<b>ACCESSORIES OF VCB TROLLEY/ PANEL</b>	HPL		No	New items	
1	Vacuum Interrupter	HPL		No	New items	30000
2	Limit Switch	HPL		No	New items	1300
3	Auxilliary Switch 16NO+16NC	HPL		No	New items	2653
4	Space heater	HPL		No	New items	212
5	TNC Switch	HPL		No	New items	1273

6	Push Button Switch	HPL		No	New items	159
7	110 volt Indicator LED	HPL		No	New items	265
8	24/32/48 VOLT Indicator LED	HPL		No	New items	265
9	2NO+2NC Contactor of Buscoupler for voltage selection between PT IN 1&PT IN2	HPL		No	New items	1167
10	Shock Treatment Chart	HPL		No	New items	502
11	Safety Precaution Chart	HPL		No	New items	502
12	Tripping Coil / Closing Coil 110VDC/32DC/24V	HPL		No	New items	10909
13	Grease Gun	HPL		No	New items	2200
14	Motor with gear assembly	HPL		No	New items	34034
15	PT Fuse	HPL		No	New items	1200
16	Rewirable fuse link , 2/5A sliding type/normal type	HPL		No	New items	622
	<b>LED Spot light</b>	HPL		No	New items	
1	3watt	HPL		No	New items	490
2	6watt	HPL		No	New items	875
3	UPS on Line					
4	5KVA					100155
5	1 KVA					27303

Rates are FOR Destination and exclusive of erection,testing,commissioning,taxes & duties etc.































